



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/567,946	02/10/2006	Wen Gao	PU030250	4561

7590 11/28/2008
Joseph S. Tripoli
Patent Operations
P.O. Box 5312
Princeton, NJ 08543-5312

EXAMINER

KASSA, ZEWDU A

ART UNIT	PAPER NUMBER
----------	--------------

2611

MAIL DATE	DELIVERY MODE
-----------	---------------

11/28/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/567,946	Applicant(s) GAO ET AL.	
	Examiner ZEWDU KASSA	Art Unit 2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period **will** apply and **will** expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply **will**, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 February 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 18 March 2008 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>02/10/2006</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. **Claims 10-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Nakatsu (US 5535244).**

3. As per claim 10, Nakatsu teaches apparatus for use in hierarchical modulation, the apparatus comprising: a hierarchical modulator for modulating at least a first signal and a second signal to provide a hierarchical modulation signal (Nakatsu, Col 6 L51 "modulator", Fig. 7, Col 11 L59-67); wherein the hierarchical modulation signal comprises a sequence of symbols selected from a radial-type constellation of symbols (Nakatsu, Col 6 L51 "modulator", Fig. 7, Col 11 L59-67).

4. As per claim 11, Nakatsu teaches the apparatus of claim 10, further comprising an up-converter for transmitting the hierarchical modulation

Art Unit: 2611

signal (it is well known in the art modulated signals needs to up-converted before transmission).

5. As per claim 12, Nakatsu teaches the apparatus of claim 10, wherein the radial-type constellation of symbols comprises a number of symbols arranged in a signal space comprising four quadrants, wherein the symbols in a quadrant are arranged such that for every symbol lying on a circumference of a circle at least one other symbol lies on a radial of the circle such that the radial also intersects the symbol on the circumference (Nakatsu, Col 6 L51 "modulator", Fig. 7, Col 11 L59-67).

6. As per claim 13, Nakatsu teaches the apparatus of claim 12, wherein the hierarchical modulator adjusts a separation distance, D , between a circumference symbol and a radial symbol (Nakatsu, Col 6 L51 "modulator", Fig. 7, Col 11 L59-67).

7. As per claim 14, Nakatsu teaches the apparatus of claim 10, wherein the radial-type constellation of symbols comprises a number of symbols arranged in a signal space comprising four quadrants, wherein the symbols in a quadrant are arranged such that for every symbol lying on a circumference of a circle at least one other symbol lies substantially on a

Art Unit: 2611

radial of the circle such that the radial also intersects the symbol on the circumference (Nakatsu, Col 6 L51 "modulator", Fig. 7, Col 11 L59-67).

8. As per claim 15, Nakatsu teaches the apparatus of claim 14, wherein the hierarchical modulator adjusts a separation distance, D , between a circumference symbol and a radial symbol (Nakatsu, Col 6 L51 "modulator", Fig. 7, Col 11 L59-67).

9. Claims 16-23 are rejected under 35 U.S.C. 102(b) as being anticipated by Markarian (EP 1065854 A2).

10. As per claim 16, Markarian teaches apparatus for use in hierarchical modulation, the apparatus comprising (Markarian, Para [0004]): an upper level (UL) encoder for providing a UL encoded signal (Markarian, Fig.1 item 10, 12); a lower level (LL) encoder for providing a LL encoded signal (Markarian, Fig.1 item 14); and a hierarchical modulator responsive to the UL encoded signal and the LL encoded signal for providing a sequence of symbols for transmission (Markarian, Fig.1 item 38); wherein the hierarchical modulator selects the symbols from a radial-type signal constellation that is a combination of a quadrature phase shift keying

Art Unit: 2611

(QPSK) symbol constellation and a binary phase shift keying (BPSK) symbol constellation (Markarian, Fig.1 item 10, 12, 14, 38).

11. As per claim 17, Markarian teaches apparatus for use in a receiver, the apparatus comprising: a down-converter for providing a received signal (it is well known in the art a received signal is down converted); and a hierarchical demodulator that processes the received signal by using a radial-type constellation of symbols for recovery of upper layer (UL) data and lower layer (LL) data (Markarian, Para [0004], Fig.8 item 203, item 208 "QPSK" 270 "BPSK").

12. As per claim 18, Markarian teaches the apparatus of claim 17, wherein the radial-type constellation of symbols is a combination of a quadrature phase shift keying (QPSK) symbol constellation and a binary phase shift keying (BPSK) symbol constellation (Markarian, Para [0012] "BPSK" "QPSK", Fig. 7 item "Constellation B" –wherein arranged in a radial-type).

13. As per claim 19, Markarian teaches the apparatus of claim 17, wherein the radial-type constellation of symbols comprises a number of symbols arranged in a signal space comprising four quadrants, wherein the symbols in a quadrant are arranged such that for every symbol lying on a

Art Unit: 2611

circumference of a circle at least one other symbol lies on a radial of the circle such that the radial also intersects the symbol on the circumference (Markarian, Para [0012] "BPSK" "QPSK", Fig. 7 item "Constellation B" – wherein arranged in a radial-type).

14. As per claim 20, Markarian teaches the apparatus of claim 17, wherein the radial-type constellation of symbols comprises a number of symbols arranged in a signal space comprising four quadrants, wherein the symbols in a quadrant are arranged such that for every symbol lying on a circumference of a circle at least one other symbol lies substantially on a radial of the circle such that the radial also intersects the symbol on the circumference (Markarian, Para [0012] "BPSK" "QPSK", Fig. 7 item "Constellation B" – wherein arranged in a radial-type).

15. As per claim 21, Markarian teaches apparatus for use in a receiver, the apparatus comprising: a down-converter for providing a received signal (it is well known in the art a received signal is down converted); and a hierarchical demodulator for processing the received signal for recovering upper layer (UL) data and lower layer (LL) data; wherein the received signal represents a sequence of symbols selected from a radial-type constellation

Art Unit: 2611

of symbols (Markarian, Para [0004], Fig.8 item 203, item 208 "QPSK" 270 "BPSK").

16. As per claim 22, Markarian teaches the apparatus of claim 21, wherein the radial-type constellation of symbols comprises a number of symbols arranged in a signal space comprising four quadrants, wherein the symbols in a quadrant are arranged such that for every symbol lying on a circumference of a circle at least one other symbol lies on a radial of the circle such that the radial also intersects the symbol on the circumference (Markarian, Para [0012] "BPSK" "QPSK", Fig. 7 item "Constellation B" – wherein arranged in a radial-type).

17. As per claim 23, Markarian teaches the apparatus of claim 21, wherein the radial-type constellation of symbols comprises a number of symbols arranged in a signal space comprising four quadrants, wherein the symbols in a quadrant are arranged such that for every symbol lying on a circumference of a circle at least one other symbol lies substantially on a radial of the circle such that the radial also intersects the symbol on the circumference (Markarian, Para [0012] "BPSK" "QPSK", Fig. 7 item "Constellation B" –wherein arranged in a radial-type).

Art Unit: 2611

18. *“In re claim 1-7 Nakatsu discloses a method for use in hierarchical modulation because under the principles of inherency, if a prior art device, in its normal and usual operation, would necessarily perform the method claims, then the method claimed will be considered to be anticipated by the prior art device. When the prior art device is the same as a device described in the specification for carrying out the claimed method, it can be assumed the device will inherently perform the claimed process. In re King, 801 F.2d 1324,231 MPEP 2112.02”*

19. *“In re claim 8-9 Markarian discloses a method for use in hierarchical modulation because under the principles of inherency, if a prior art device, in its normal and usual operation, would necessarily perform the method claims, then the method claimed will be considered to be anticipated by the prior art device. When the prior art device is the same as a device described in the specification for carrying out the claimed method, it can be assumed the device will inherently perform the claimed process. In re King, 801 F.2d 1324,231 MPEP 2112.02”*

20. In-reclaim 24 similarly analyzed as claims 16.

Conclusion

21. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ZEWDU KASSA whose telephone number is (571)270-5253. The examiner can normally be reached on Monday - Friday (7:30 - 5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Payne can be reached on 571 272 3024. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

zk

/David C. Payne/
Supervisory Patent Examiner, Art Unit 2611